
报告

.....1

.....38

.....83

.....92

.....137

.....140

.....141

报告公示稿

报告公示稿

公示稿

报告

1

2

3

4

5

7

8

9

10

11

12

1

2

3

4

5

6

报告公示稿

报告公示稿

稿

	1000		27			
	2508-320582-89-01-995399					
				18752537533		
				2		
	120	34	5.86	31	58	49.51
	C2922			29	292	55
	C3029				302	
/				/	2025	2464
	18000				900	
%	5%				12	
	<input checked="" type="checkbox"/>					
	<input type="checkbox"/>			m ²		



2021-2035


Ú

	1		2011-2030	2018	
	1				
			2020	215	2030 265
					2020
	281.00		2030	319.45	
			"	"	
	—		"	"	
			"	"	
			"	"	
			"	"	
			"	"	
	2			2	
		2011-2030	2018		
			4-1		
	2			2016-2030	
	1				
					2016-2030

40.48

×





	<p data-bbox="443 210 1161 246">/ CVC / C 440 / 220 /</p> <p data-bbox="443 320 456 349">4</p> <p data-bbox="986 689 1082 712">“ ”</p> <p data-bbox="469 1489 488 1518">2</p> <p data-bbox="928 1541 948 1570">2</p> <p data-bbox="512 1648 555 1677">4-3</p> <p data-bbox="371 1861 391 1890">4</p> <p data-bbox="1134 1861 1273 1890">2022-2035</p> <p data-bbox="437 1966 568 1995">2023 4</p>
--	---

2023 10

7

2023 7

1-1

1-1

1

" " " " " "

2020-2030

2020-2030


2021 36

&

"

"

2



	" "	
4		
5		VOCs
5	2022-2035	2021-2035 2021-2035
6		4-2 2021-2035

				2021-2035
		2025	5	
1			2035	
	38.4289			34.7435
		0.2568		
	6.2145			2020
		1.2000		
2				
3				
4				
			2	
	2021-2035			
				5
			2021-2035	

1				
1				
2021-2035				
1.71km				
2020 1				
2021 102				
2022 145				
1.63km				
1-2 1-3				
1-2				
				km
		120°36 8.80 E 31°59 23.48 N		
		500 500		
		500		
		100	4.43	1.71
		3500 1500		
		100		
1-3				
				km
			12329.4462	1.63

		8		149.3206	2.87
		5.5	500	135.6696	5.52

2

1.71km

5.52km

1.63km

2.87km

2

2

2024

2024

135

180

86.1%

3.6%

4.10

1.9%

12.1%

m

\$ m \$

: :

" "

2027 28 /

2035 26 /

2024 2024

15 36 63.9%

25 ~ 100%

4 7 ~ 100%

31 16 15

51.6% 3.2 13

) 10 17 5

" " " "

100%





1

pg 2

15

			2	
			3	
			4	
			1	
			2	
			3	
			1	
			“ ”	
			2	
			3 “ ”	
			1	
			2	
			3	
			4	

	1	“ ”		
	2	34.5		
	3	38.06	1	4-
	4	34.77	2	
	5	“ ”	3	
			4	
			5	
	1			
	2			
	3			
		5.11.5-1		

1

2

“
/”

p

2019 123

"

"

2019 123

3

2

2011-2030

2018

2016-2030

2024

2013

2013

4

2023

2023

2

1-5



1-5

1.

2.

3.

c



4.

2015—2030
2017—2035

5

5.

1.

1

2.

2

1.

1

1
2

2.

#

1/2000

	1		
		2	
			3
	1		
			2

2023

5

2023

2023

"

477

"

-

m "

S

	4		
	5		
	1	1	
	2	2	
	3	3	
	1		2023 9 7
	2		
	3		
	1		
	2	" 1	
	"	1	
	2	3	
	4		
	2023		

6.

		2012	221		
	604			2021	9 29
				604	
				2021	9 29
	7			2022	
				2022	
		1-7			

		2022	
1	2035	2015—2030 2017—	
2			
3			
4			
5			

6			
7	“	” 332	
8			
9			2021 " " " 2025 2025 4
10			
11			
12			
			2022
1	2035	2015-2030 2017-	

	2			
	3			
	4			
	5			

®

16			
17			
18			
19			
20			
			2022
		2022	
8			
	1-8		
			900

			HJ942-2018
			HJ819-
		2017	
			HJ 1207-
		2021	
			HJ848-2017
			2022
			2022 5
9			
	1		
		2021 65	
		2021 65	---

1-9

VOCs

VOCs

0.3m/s


$u^{TM} \pm ?$ • 9fFQp 0 8



		0.5%	
		5	
		VOCs	
		" "	
		VOCs	" "
			VOCs
			800mg/g
		800mg/g	RTO
		BET	
		650mg/g	
		1100m 2/g	

40000h -1		VOCs	
		RTO	
760		CO	
	300		
VOCs"	"	ñb@ ð ±? \$ P U'P	4 ù€
		VOCs	

- 108 2021 65 H < 1



HJ 1207-2021

3

HJ848-2017

2022

GB 33372-2020	
VOCs	

11 > < 2021 2 GB33372-2020

1,2- 1,1,1- 1,1,2- GB30982
GB19340



	"			
	2	2017	278	
	2022	70		
	1-13		2022	70

	C2922	C3029
		2023

2.2

1000

27

2

18000

67192.35

173117.08

1000

27

2025 2464

"

2023 1054

"

:

220

300

3

8h

7200h

2.2.1



		1000	/
		27	/

--	--

--	--

--	--

报告公示稿

报告公示稿

报告公示稿

--	--

报告公示稿

报告

报告公示稿

2.2.3

报告公示稿

--	--

--	--

--	--

--	--

--	--

2.2.4	2-5				
	2-5				
		11211.12m ² , 27	27	11211.12m ² 27	"
		/	19038.25m ² 1000	19038.25m ² 1000	" 2023 1054
	7631.36m ² 4	/	7631.36m ² 4		
	17067.76m ² 4	/	17067.76m ² 4		
	1		1		

			400m³/h		400m³/h	
					1	
					200m³/h	
			/	DA012 18m	DA012 18m	
			/	DA013 28.7m	DA013 28.7m	
			/	DA014 18m	DA014 18m	
			/	DA015 18m	DA015 18m	
			DA006 28.7m	/	DA006 28.7m	
			1 +2 +2	/	1 +2 +2 +2	
			+2 RTO		RTO	


			DA001 30m DA002 30m		DA001 30m DA002 30m	
			DA008 28.7m	/	DA008 28.7m	
			2 + +RTO DA009 30m DA0010 30m	/	2 + +RTO DA009 30m DA0010 30m	
			DA003 27m		DA003 27m	
			DA004 30m	/	DA004 30m	
			DA005 30m		DA005 30m	

		DA007 DA011 18m	/	DA007 DA011 18m	
					/
		267m ²		267m ²	/
		599.76m ²		599.76m ²	/
		432m ³		432m ³	/
		425.2m ³		425.2m ³	/


2.2.5

" "

2-1



2-1



2-2

2.2.6

2-6

2-7

2-6

	t/a	t/a
	6000	11895.9
	2400	0.745
	3500	3.179
/		0.176
	11900	11900
2-7		
	t/a	t/a

	50000		270000
	30000		0.383
	50000		2.866
	60000		3.132
	5000	/	
VAE	15000		
	200		
	59806.381		
	270006.381		270006.381

2.2

2.3

2.3.1



2-3

12

1

2

3

4

2.3.2

--	--

--	--

--	--

--	--

1

W2

W1

S8

2.3.3

2-8

2-8

G1-1

G1-2

G2

G3

G4

G5

G6

G7

G8

G9

W1

COD SS

W2

COD SS

S1

S2

S3

S4

S5 1 m m m

S6

~~S7~~

~~GRK3~~

2.4
2.4.1

2021 7

2

2021 9

2022 3 14
2022 82 0034

2023 10 27

2023 12 67192.35

2025 9

5400

2000

2-9

2-9


	5400 50	2022 82 0034 2022.3.14		2023.10.27
5400	5400			
2000	2000			/

2-10

				h	
		5400 /	5400 /	7200	
		50 /	50 /	7200	

		5400 /	5400 /	7200	
		2000 /	2000 /	7200	

2-11



DA006				1	
DA003					
DA004 DA005				2	
DA007			SO ₂	/	DA007
			NO _x		

2

/

2-8

生产废水、初期雨水



隔油、调节



2-8


3

4

2-13

2-13

/



1

3			HW08	900-249-08	0.3		
4			HW08	900-249-08	8.12		
5			HW08	900-210-08	1		
6			HW49	900-041-49	31.12		
7			HW08	900-249-08	9.62		
8			/	/			

267m²

" "

GB18597-2023

599.76m²

2.4.4

2024

HY240311042-101

HY2403111042-2

m



			46 9	17	0.30			
		[a]	17 38 4	ND 2* 10 ⁻⁵	3.5* 10 ⁻⁷		0.0 00 3	0.00 000 9
			17 71 1	ND 3	0.05 3		20 0	/
				6.75	0.12		20 0	/
			20 17 0	1.3	0.02 5		20	1
			19 37 5	ND 17	0.33		20	0.11
2024 .03.2 3	DA 002	[a]	19 60 6	ND 2* 10 ⁻⁵	3.9* 10 ⁻⁷		0.0 00 3	0.00 000 9
			19 60 6	ND 3	0.05 9		20 0	/
			19 60 6	8	0.16		20 0	/
2024 .03.2 3	DA 004		80 68	1.2	9.8* 10 ⁻³		10	/
2024 .03.2 3	DA 005		68 40	1.2	8.4* 10 ⁻³	DB32/4149- 2021	10	/
2024 .03.2 3	DA 006		61 0	1.2	7.5× 10 ⁻³	DB32/4041-2021	20	1
2024 .05.1 0	DA 007 *		72 93	ND 3	0.02 1	DB32/4385-2022	35	/

			49	0.28		50	/
			1.5	9.0* 10 ⁻³		10	/
ND VOCs DA007 2-15 DA001 DA002							
			mg/m ₃			mg/m ₃	
			16		GB14554-93	20	
			ND 0.168			0.5	
			0.68			4	
2024. 03.23			ND 1.4*10 ⁻⁷		DB32/4041-2021	0.00000 8	
		[a]	0.56			6	
ND DA001 DA002 DA006 DB32/4041-2021 DA003 DA004 DA005 DB32/4149-2021 DA007 DB32/4385-2022 [a] DB32/4041-2021 GB14554-93							

2						
2-16						
			dB		dB A	
			A			
	1				62	53
	1				61	52
2024.03.23	1	GB12348-2008	65	55	58	50
	1				56	48
GB12348-2008 3						
2.4.5						
89%~90%						
2-17						
2-17						
			t/a		t/a *	
			2.492		0.1231	
			0.964		0.9468	
			2.002		1.116	
	[a]		0.000002		/	
			0.904		/	
			2.292		0.1894	
			0.008		/	
			1.3			
	[a]		0.000001		/	
			0.476		/	
			1.207		/	
			8488		0	
	COD		3.379		0	

	SS	1.690	0
		0.296	0
		0.0338	0
		0.507	0
		0	0
		0	0
		0	0

= * /

2.4.6

100

2.4.7

1

432m³

2

3

“ ”

1

2

3

2.4.8

2-18

2-18

		2022	82	0034
1	5400 50			5400 50
2	“ ”			
3				
4	() 30m	RTO		DA006 28.7m 1

	18m	+2	+2	+2	RTO	
					DA001	
	30m	30m	DA002		30m	
			DA003	27m		
					DA004	
			30m			
			DA005		30m	
					DA0011	18m
5		(GB12348-		GB12348-2008	3	
	2008)3					
		“	”			
				267m ²		
6						
				599.76m ²		
	GB18597-2001					
7		100m		100		
8				ë		
9				—		

16		
17	5	2022 3 2022 4 2023 10 23

2.4.8


5400

2000

" " 1

2024 " "

m "



3

3

ž m *

*

2 m "

4



3.1

3.1.1

1996 133

GB3095-2012
2024

2024

2024

135

180

86.1%

3.6%

4.10

1.9%

12.1%

3-1 2024

			$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	%	
SO ₂			8	60	14	
	98		14	150	9	
NO ₂			26	40	65	
	98		69	80	86	
PM ₁₀			48	70	69	
	95		111	150	74	
PM _{2.5}			30	35	86	
	95		83	75	111	
CO mg/m ³	95		1100	4000	28	
O ₃	8h 90		156	160	97.5	

PM_{2.5}

2024 59

3-3								
			pH	COD _{Cr} mg/L	BOD ₅ mg/L	mg/L	mg/L	mg/L
			7.5	6.1	0.9	0.06	1.61	0.005
			8.4	13.6	2.4	0.76	4.82	0.02
			7.5~8.4	10.0	1.5	0.28	2.7	0.01
			0	0	0	0	/	0
			/	/	/	/	/	/
3-3								
2023.11.21~2023.11.23								
W1			500m			W2		
			500m			3-4		
3-4								
			pH	COD _{Cr} mg/L	SS mg/L	mg/L	mg/L	mg/L
			7.5	10	35	0.317	0.11	0.03
			7.9	14	38	0.416	0.16	0.04
		III	6-9	20	/	1.0	0.2	0.05
	500m		0.45	0.7	/	0.416	0.8	0.8
	W1		0	0	0	0	0	0
			7.4	15	32	0.246	0.1	0.03
			7.7	18	36	0.386	0.13	0.04
		III	6-9	20	/	1.0	0.2	0.05
	500m		0.35	0.9	/	0.386	0.65	0.8

	W2		0	0	0	0	0	0	
	3-4								
	GB 3838-2002 III								
3.1.3	50m								
3.1.4									
3.1.5									
	VAE	VAE							
3.1.6									

3.2

50m 500m 3.2-1 6

3-5

	UTM						m
	X	Y					
	55800 5	13406 413				SW	380

3.3

1

GB31572-2015

DB32/4041-2021

DB32/4149-2021

DB32/4149-2021

DB32/4041-2021

3-6



3-6					
		mg/Nm ³	kg/h		
					mg/Nm ³)
DA012 DA015		60	3		4.0
					1h
					6
				20	DB32/4041-2021
				0.5	
DA013 DA014		10	/		5
					DB32/4149-2021
				DA012	DA0012
				DB32/4041-2021	
3-7					
		ug/m ³)			
TSP ^a		500			
PM ₁₀ ^b		80			
a	(TSP)	HJ633		15min	AQI 200~300
	PM ₁₀ PM _{2.5} TSP			200μ g/m ³	
b	(PM ₁₀)			1h	PM ₁₀
		PM ₁₀			
2					
2024					
GB/T 19923-					
2018 77					
GB18918-2002 1 A 3-					
8	3-9				

3-8

pH	/	6.0~9.0
		20
	NTU	5
BOD ₅	mg/L	10
COD _{Cr}	mg/L	50
	mg/L	5
	mg/L	15
	mg/L	0.5
	mg/L	0.5
	mg/L	1.0
CaCO ₃	mg/L	350
CaCO ₃	mg/L	450
	mg/L	1000
	mg/L	250
	mg/L	250
	mg/L	0.3
	mg/L	0.1
	mg/L	30

3-9

pH	6	9
COD	500	
SS	400	
/	45	
mg/L	8	

*

12

12

		0.476	0.156	0	0	0	0	0.632	0
		1.3	0.091	1.440	0	1.440	0	2.831	+1.440
	[a]	1E-06	5.06E-07	0	0	0	0	1.5055 E-06	0
	VOCs	1.207	0.509	0.427	0	0.427	0	2.143	+0.427
		8448	0	1260	0	1260	0	9708	+1260
	COD	3.379	0	0.0504	0	0.0504	0	3.4294	+0.0504
	SS	1.690	0	0.0504	0	0.0504	0	1.7404	+0.0504
		0.296	0	0	0	0	0	0.296	0
		0.0338	0	0	0	0	0	0.0338	0
		0.507	0	0	0	0	0	0.507	0
		0.507	0	0	0	0	0	0.507	0
		0	0	0	0	0	0	0	0
		0	0	5.8	5.8	0	0	0	0
		0	0	67.21	67.21	0	0	0	0
						VOCs		VOCs	

4.1

4.1.1

4.1.2

4.1.3

报告公示稿

报告公示稿

报告公示稿


4.1.4

4.2									
4.2.1									
1									G1
	G2		G3			G4			
	G5			G6			G7		
	G8			G9					
			G1			G2			
					500			HDPE	
500	TPO								
	2017 7							85%-85.7%	
								18.97-22.27mg/m ³	
6483m ³ /h									
0.144kg/h									4800h
85%			500			HDPE			
0.957t/a			1000			HDPE			
								1.914t/a	
"			"			DA012			
90%			90%						
		G3							
	500		HDPE			500		TPO	
								2017 7	
								85%-85.7%	
21.83-27.35mg/m ³								6501m ³ /h	
			0.178kg/h						4800h
	500		HDPE						1.005t/a
	1000		HDPE						
	2.01t/a								
			"			"			DA012

		90%		90%			
		G4					
		5		1		AP-42	
DA013		5		1t		0.23kg	
						28.7m	
		99%		99%			
		4-1					
	t/a	t/h	h	kg/h	t/a	kg/h	t/a
	50000	20	2500	4.6	11.5	0.046	0.114
	30000	20	1500	4.6	6.9	0.046	0.068
	50000	20	2500	4.6	11.5	0.046	0.114
1	30000	20	1500	4.6	6.9	99% 0.046	0.068
1	30000	20	1500	4.6	6.9	99% 0.046	0.068
	/	/	/	23	43.7	0.023	0.433
		G5					
	"	"	3021	"	30	"	0.523kg/t-
			190000t		99.37t/a		
			"	"	18m	DA014	
			99%		99%		
		G6					

				0.005kg/t		
					190000t	
	0.95t/a			"	"	
18m	DA014		99%			99%
		G7			G8	
G9						
				VAE		
				0.174kg/t-		
				20200t		
3.5148t/a						
	"		"	18m	DA015	
	99%			90%		
				"	"	
	1	18m	DA012			
	1	28.7m	DA013			
	"		"	1	18m	DA014
				"	"	
	1	18m	DA015			
	4-2	4-3		4-4		
		4-2				

			t/a		(t/a)	(t/a)
	G1	G2	1.914	90%	1.723	0.191
	G3		2.01	90%	1.809	0.201
	G4		43-	P		



		G7 G8 G9		3.5148	99%	3.480	0.035


4-3

			t/a	kg/h	mg/m ³				%	m ³ /h	t/a	kg/h	mg/m ³	mg/m ³	kg/h		
			3.532	0.491	61.319			90%	8000	0.353	0.049	6.132	60	3		H=18m T=25 D=0.55m	DA012
			43.263	6.009	400.583			99%	15000	0.433	0.060	4.006	10	/		H=28.7m T=25 D=0.6m	DA013
			99.317	13.794	689.701			99%	20000	0.993	0.138	6.897	10	/		H=18m T=25 D=0.7m	DA014
			3.480	0.483	80.556			90%	6000	0.348	0.048	8.056	60	3		H=18m T=25 D=0.4m	DA015

4-4

t/a	kg/h	m ²	m
0.392	0.054	19038.25	5
0.437	0.23	180	28

1					4	0.392
2				DB32/4041- 2021	0.5	0.437
3				DB32/4149- 2021	0.5	1.003
					4	0.035
						0.427
						1.440
4-7						
					/ t/a	
1					1.128	
2					2.866	
2						
0%						
0.1 / 30min						
4-8						
				/ mg/m ³	/ kg/h	/ /h
DA012				61.319	0.491	0.5 / 0.1
DA013				400.583	6.009	
DA014				689.701	13.794	
DA015				80.556	0.483	



4-9

1	mm	2000*2000*2900	2000*1500*1100
2	m ²	9.72	1.25
3	m ² /g	750	750
4	/		
5	mg/g	800	800
6	kg/m ³	500	500
7	t/	3.89	0.5

3.179t/a

7.78t

3.132t/a 7.78

2021 218

$T = m \times s \div (c \times 10^{-6} \times Q \times t)$

T—

m— kg

s— %

c— VOCs mg/m³

Q— m³/h

t— h/d

4-10

		VOCs			
--	--	------	--	--	--

	kg		mg/m ³	m ³ /h	h/d	d
	7780	10%	55.188	8000	24	73
	1000	10%	72.5	6000	24	10
73d	4		31t		3t	
	34t					10d
	10		30t		3t	
	33t					
HJ1122-2020						
HJ1116-2020	VOCs					
				DB32/4041-2021		
			GB31572-2015			
1						
	28.7m	DA013				

2023 9 16 17 DA006

89%~90%

DB32/4149-2021

2

" "

18m DA014

HJ1116-2020

/

DB32/4149-2021

30

87

4-11

4-11

	30 kwh	0.8 /kwh	24
	62	7000 /t	43
	67	3000 /t	20
	/	/	87

4

GB/T16758

GB 37822—2019

VOCs

0.3m/s

5

4.2.2

1

W1

1

200t/h

5

(GBT50102-2014)

$$Q_e = K_{ZF} \cdot \Delta t \cdot Q$$

$$Q_w = \frac{P_w \cdot Q}{100}$$



Qe— KZF 0.0015 t

5

Qw— Pw 0.1

Qb— N 5

Qm—

Q— 200t/h

1440000t/a

200t/h,7200h/a

Qe 10800t/a 1.5t/h

Qw 1440t/a 0.2t/h

Qb 1260t/a 0.175t/h

Qm 13500t/a

COD 40mg/L SS 40mg/L

(W2)

2t/

3

6t/a

COD 500mg/L

SS 200mg/L

60mg/L

4-15

4-15

	t/a	mg/L	t/a		mg/L	t/a	mg/L
1260	COD	40	0.0504	/	COD	40	0.0504
	SS	40	0.0504		SS	40	0.0504
6	COD	500	0.003	+			
	SS	200	0.0012				
		60	0.00036				

--	--	--	--	--	--	--	--

2

1260t/a 4.2t/d

6t/a

0.02t/d

80t/d

21939.1t/a

73t/d

73t/d

4-2

空压机排水



4-2

" + "				
FeSO ₄ PAC PAM				
UASB				
BGEF				
100m ² /g				
96%				
0.8mm				
SS				
6t/a				
0.02t/d				
0.027%				
4-16				
4-17				
4-16				
	pH	COD	SS	
	mg/L	mg/L	mg/L	
	7~8	800~1500	500~600	10-20
4-17				

		pH	COD	SS	
	mg/L	7~8	1500	600	20
		/	70%	90%	90%
	mg/L	7~8	450	60	2
	mg/L	7~8	450	60	2
		/	90%	80%	60%
	mg/L	7~8	45	12	0.8
	mg/L	7~8	45	12	0.8
		/	/	/	/
	mg/L	7~8	45	12	0.8
	/	6.5~8.5	50	/	1

4-18

			mg /m ³		mg /m ³	
2023 .9.18			42	GB/T 19923-2024	50	
			12		/	
			0.13		1.0	
2023 .9.19			39		50	
			12		/	
			0.15		1.0	

1		97309.2	22595.1	74720.1

3

6.0 m³/d

3.0 m³/d 2011 12

2012 6

204

2.5 t/d

A2/



				1	COD SS	1 /		
5								
4-21 4-22								
4-23 4-24								
4-21								
1		COD SS		/	/	DW001		
2		COD SS		/	+ +	/	/	/
4-22								
		UTM						
				/ t/a				mg/L
1	DW001	557973	13407613	1260	/			pH 6-9
								COD 30
								SS 10
								1.5
								3 *
								0.3
								10
								1

*

12

12

4-23

				/	
				mg/L	
1	DW001	pH		6	9
		COD			500
		SS			400
					25
					1
					70
					100

4-24

				/	
				/ t/a	
				mg/L	kg/d
1	DW001	COD	40	0.015	0.0504
2		SS	40	0.015	0.0504
		COD		0.0504	
		SS		0.0504	

4.2.3

1

75-

85dB A

GB12348-2008 3 ž m

G

4-25

	180											
		2	75		371	323	1	40	43		25	18
	130											
		2	75		401	316	1	40	43		25	18
		4	75		428	309	1	30	45		25	20
		2	80		421	311	1	35	49		25	20
		2	75		345	339	1	5	61		25	36
		1	85		380	298	1	50	49		25	24
		2	85		249	320	1	20	59		25	34
		3	85		260	317	1	30	55		25	30
		3	85		269	315	1	30	55		25	30
		1	75		255	358	1	15	51		25	26

1	75	266	355	1	25	47	25	22
4	75	279	352	1	35	44	25	19
4	75	290	349	1	15	51	25	26
2	80	264	380	1	15	56	25	31
1	75	272	377	1	15	51	25	26
2	85	285	372	1	15	61	25	36
6	75	303	367	-	-	#	E	C

	5	75		164	416	1	5	61		25	36
	5	75		150	393	1	5	61		25	36
	10	85		136	359	1	8	67		25	42
	3	75		182	451	1	5	61		25	36
	2	75		167	230	1	5	61		25	36
	1	75		181	431		5	61		25	36
	3	85		177	253		8	67		25	42

X Y

4-27

	/	/m			/dB(A)	
		X	Y	Z		
1	1	332	345	1	75	00 00- 24 00
2	2	279	275	1	80	
3	16	261	272	1	80	
4	1	259	265	1	80	
5	1	264	263	1	80	

X Y

4-28

	/	/m		
--	---	----	--	--

		X	Y	Z	/dB(A)		
1	4	279	415	1	75		
2	10	275	384	1	75	00 00-	24 00

$$A_{div} = 20 \lg(r / r_0)$$

A_{div} ——
 r_0 —— m
 r —— m

4-29

4-29

dB(A)

	62	53	28.35	29.39	62	53.03	65	55	
	61	52	27.31	26.31	61	52.03	65	55	
	58	50	26.21	45.57	58.24	51.35	65	55	
	56	48	35.81	37.8	56.11	48.63	65	55	

2024

35.81dB(A)

GB12348-2008

3

3

4-30

4-30

	1m	A	1 /
	1		

4.2.4

1

1			1kg/d	0.3t/a	
2					GB34330-2017
6.1	b	"			"
3				5t/a	
4				0.1t/a	
5					
	2021	218		67t/a	
		2025			HW49
	900-039-49				
6					1t/a
7					
			0.2t/a		2025
				HW08	900-249-08
8					
		3		0.01t/a	
					GB34330-2017
					4-31
	4-31				

					t/a			
1					0.3		/	
2					5		/	
3					0.1		/	
4					67		/	GB34330-2017
5					1		/	
6					0.2		/	
7					0.01		/	

43 2025 2017

4-32

					t/a			
1					0.1	HW49	900-041-49	T
2					67	HW49	900-039-49	T

3					0.1	HW08	900-249-08	T
4					0.01	HW08	900-210-08	T
5					0.3	S59	900-009-S59	/
6					5	S59	900-099-S59	/
7					0.5	S59	900-099-S59	/

4-33

4-33

					t/a			
1					5.7	HW49	900-041-49	T
2					39	HW08	900-249-08	T
3					60	HW08	900-249-08	T
4					6.7	HW08	900-210-08	T

5					10	HW13	900-015-13	T	
6					1.106	HW49	900-041-49	T	
7					0.2	HW08	900-249-08	T	
8					0.02	HW08	900-210-08	T	
9					67	HW49	900-039-49	T	
10					15.5	SW59	900-099-S59		
11					1.7	SW59	900-009-S59		
12					60	SW59	900-099-S59	/	
13					0.3	SW59	900-009-S59		
14					33	SW64	900-099-S64		
					599.76m ²	267m ²			
					4-34				
					t				

10			/	/	/	599.76	/	/	/

2

a

599.76m²

GB15562.2-1995

1

2

3

4

5

5

6

0

>

2024 16



4.2.5

1

7						
8						
9						GB18597
10						
11						
12						Mb 1.5m K 10 ⁻⁷ cm/s
13						
14						

2

A.

4.2.6

1.63km

4.2.7

1

HJ169-2018

Q


$$Q = \frac{q_1}{Q_1} + \frac{q_2}{Q_2} + \dots + \frac{q_n}{Q_n}$$

$q_1 \quad q_2 \quad \dots \quad q_n$ —————
 $Q_1 \quad Q_2 \dots Q_n$ —————

4-36

		t	t	q/Q
1		0.2	2500	0.00008
2		17	50	0.34
q/Q				0.34008

[1]



/

4-2



4-2

4-38

4-38

				/	/
			/		
			/		
				/	/
				/	/


				/	/
			/		
				/	/
			/		
			/	/	
				/	/
			/	/	

4-39

4-39

VAE „ VAE

C



报告公示稿

报告公示稿

公示稿

a.

b.

c.

a.

b.

GB18597-2023

432m³


a.

b.

2

2015 4

DB32/T3795-2020



报告公示稿

/	/			
	DA012			DB32/4041-2021
	DA013			DB32/4149-2021
	DA014			DB32/4149-2021
	DA015			DB32/4041-2021
				DB32/4041-2021
				DB32/4149-2021
				DB32/4041-2021

DB32/4149-
2021

COD SS

GB/T 19923-
2024

COD SS /

GB12348-
2008 3

" 3 y

30e q qñ

		t/a	t/a	t/a	t/a	t/a	t/a	t/a
		6.736	5.172		2.866	/	9.602	+2.866
		2.317	1.38		0	/	2.317	0
		4.419	3.792		2.866	/	7.285	+2.866
	SO ₂	1.324	0.964		0	/	1.324	0
	NO _x	3.019	2.002		0	/	3.019	0
	[a]	6.0375E-06	3.00E-06		0	/	6.0375E-06	0
		6.555	3.499		1.128	/	7.683	+1.128
		0.008	0.008		0	/	0.008	0
		8448	8448		1260	/	9708	0
	COD	3.379	3.379		0.0504	/	3.4294	0
	SS	1.69	1.69		0.0504	/	1.7404	0
		0.296	0.296		0	/	0.296	0
		0.0338	0.0338		0	/	0.0338	0
		0.507	0.507		0	/	0.507	0
		0.507	0.507		0	/	0.507	0

	/	5.5	5.5		5.8	/	11.3	+5.8
	/	60.1	60.1		67.21	/	127.31	+67.21

= + + - = -